

.....  
.....

ÿ ž ž ž

COD

fTPHĒ

i . : . :ê . :é . :è  
Sorur.Safa@gmail.com

ly /y :

ly /y :

..... : : : " : : : fTPHĒ : : : :  
 ..... fPAH<sub>s</sub>Ē : : : :  
 ..... y " : : : :  
 ..... " : : : :  
 ..... flv ççĒ ..... UV " ..... pH iH<sub>2</sub>O<sub>2</sub> :  
 ..... " ..... éL : : : :  
 ..... pH iH<sub>2</sub>O<sub>2</sub> : ..... COD : : : :  
 ..... pH=ê y/ M : :y/ mM : COD ñ / ž " UV : : : :  
 ..... " ..... pH " ..... h " UV : : : :  
 ..... COD : ..... fPH= E ..... ž : : : :  
 ..... " : : : :  
 ..... UV/Fe<sup>2+</sup>/H<sub>2</sub>O<sub>2</sub> : : : : y : fTPHĒ : : : :  
 ..... : : : :  
 ..... : : : :  
 ..... : : : :  
 ..... : : : :


---

.....	!è
.....	!é
.....	!è
.....	!
.....	!





۳۰ min  
 pH  
 ۱M NaOH  
 pH  
 H<sub>2</sub>O<sub>2</sub>  
 COD  
 COD  
 pH  
 H<sub>2</sub>O<sub>2</sub>  
 °C  
 pH < 7  
 DR5000  
 COD  
 TPH  
 HACH  
 COD  
 COD  
 HACH  
 COD  
 mg/L  
 DR5000  
 Excel  
 COD  
 mg/L  
 COD<sub>0</sub>  
 pH  
 M  
 COD  
 mg/L  
 COD<sub>0</sub>



UV  
 pH  
 COD  
 mg/L  
 COD<sub>0</sub>  
 pH  
 M  
 COD  
 mg/L  
 COD<sub>0</sub>

UV/Fe/H<sub>2</sub>O<sub>2</sub>

FeSO<sub>4</sub>·7H<sub>2</sub>O

pH=


UV H<sub>2</sub>O<sub>2</sub>

COD

UV

کارایی حذف فرایند


مجازی UV، % بوده است.



UV/Fe/H<sub>2</sub>O<sub>2</sub> COD

(UV=  $\gamma$  w i H<sub>2</sub>O<sub>2</sub>=  $\gamma$  / mol i pH= , COD<sub>0</sub> =  $\gamma$  -  $\gamma\gamma$  mg/L)

$\dot{y}$  / m M  $\text{H}_2\text{O}_2$  " " / m M  
 $\dot{y}$  / mol "  $\dot{n}$   
 $\dot{e}$  pH "  $\text{H}_2\text{O}_2$   
 pH "  $\dot{y}$   $\cdot \dot{e}$   $\text{H}_2\text{O}_2$   
 pH  $\mu$  " UV/Fe/ $\text{H}_2\text{O}_2$   
 "  $\dot{y}$  M<sub>i</sub> NaOH  $\dot{y}$  " "  
 UV  $\text{H}_2\text{O}_2$  "  $\dot{y}$  m  $\mu$   
 COD "  $\dot{y}$   $\dot{y}$   $\dot{y}$   $\mu$   $\text{H}_2\text{O}_2$  "  
 pH  $\dot{y}$  /  $\mu$ )  $\text{H}_2\text{O}_2$   $\dot{y}$  /  $\mu$ m)  $\text{H}_2\text{O}_2$  " pH=  
 $\dot{n}$  / "  $\text{H}_2\text{O}_2$  " " "  
 " " UV " "  
 " " " "  
 UV/Fe/ COD  $\dot{y}$  / m  $\mu$  L COD "  
 $\text{H}_2\text{O}_2$   $\dot{n}$  / "  $\text{H}_2\text{O}_2$   $\dot{y}$  / mol "  
 " " " "  
 " " " "  
 " " " "  
 min COD  $1/C$  UV/ pH "  
 " " " "  
 $\dot{c}$  -  $\dot{y}$  pH "  
 " "  $\text{Fe}/\text{H}_2\text{O}_2$



$\ln(C/C_0)$

$n /$

$n$

UV

$Fe^{+2} + H_2O_2 \rightarrow Fe^{+3} + OH^- + HO^0$

(HO<sup>0</sup>

$H_2O_2$

COD


$H_2O_2$

$H_2O_2$

$H_2O_2$

(

$mM$



UV/Fe/H<sub>2</sub>O<sub>2</sub> COD pH  
 (UV=  $\mu g/L$ ,  $(FeSO_4 \cdot 7H_2O)_{opt} = \mu g/L$ ,  $(H_2O_2)_{opt} = \mu g/L$  mol)

h BTX

Osvaldo  $\text{Fe}^{2+}$   $\text{H}_2\text{O}_2$   $\text{HO}^0 + \text{H}_2\text{O}_2 \rightarrow \text{H}_2\text{O} + \text{HO}^0$   
 $2\text{HO}^0 \rightarrow \text{H}_2\text{O}_2 + \text{O}_2^0$

Chiavone-Filho

$\text{H}_2\text{O}_2$   $\text{mM}$   $\text{mM}$

$\text{pH}$   $\text{pH}$

$\text{pH}$   $\text{pH}$


UV  $\text{pH}$   $\text{COD}$

Kang Hua

$\text{H}_2\text{O}_2$   $\text{pH}$   $\text{pH}$

Raquel F. PupoNogueira BTX

TritonX-100 (TX-  $\text{mM}$   $\text{mM}$   $\text{H}_2\text{O}_2$   $\text{mM}$   $\text{pH}$ )




UV/Fe/H<sub>2</sub>O<sub>2</sub> COD

(UV=  $\mu\text{g/L}$ ,  $(\text{FeSO}_4 \cdot 7\text{H}_2\text{O})_{\text{opt}} = \mu\text{M}$ ,  $(\text{H}_2\text{O}_2)_{\text{opt}} = \text{mM}$ ,  $(\text{pH})_{\text{opt}} =$  )




$\frac{1}{C} - \frac{1}{C_0} = k.t$   
 COD  
 Farrokhi  
 UV  
 COD  
 pH=

pH  
 PupoNogueira.  
 UV  
 J. Watts.  
 UV/Fe/H<sub>2</sub>O<sub>2</sub>  
 Kavitha Palanivelu  
 mg/L  
 pH= / min  
 Farrokhi.  
 UV  
 UV  
 TPH  
 COD  
 UV



1. Todd GD, Chessin RL, Colman J. Toxicological profile for total petroleum hydrocarbons (TPH). Georgia: U.S. Department of health and human services. Public Health Service. Agency for Toxic Substances and Disease Registry; 1999 Sep.
2. Flotron V, Delteil C, Padellec Y, Camel V. Removal of sorbed polycyclic aromatic hydrocarbons from soil, sludge and sediment samples using the Fenton's reagent process. *Chemosphere*. 2005;59:1427-37.
3. Mouton J, Mercier G, Blais JF. Amphoteric surfactants for PAH and lead polluted- soil treatment using flotation. *Water, Air, and Soil Pollution*. 2009;197(1-4):381-93.
4. Feng D, Lorenzen L, Aldrich C, Mare' PW. Ex situ diesel contaminated soil washing with mechanical methods. *Minerals Engineering*. 2001;14(9):1093-100.
5. Chu W, Chan KH. The mechanism of the surfactant-aided soil washing system for hydrophobic and partial hydrophobic organics. *Science of The Total Environment*. 2003;307(1-3):83-92.
6. Fabbri D, Prevot AB, Zelano V, Ginepro M, Pramauro E. Removal and degradation of aromatic compounds from a highly polluted site by coupling soil washing with photocatalysis. *Chemosphere*. 2008;71(1):59-65.
7. Lee M, Kang H, Do W. Application of nonionic surfactant-enhanced in situ flushing to a diesel contaminated site. *Water Research*. 2005;39:139-46.
8. Chou DK, Krishnamurthy R, Randolph TW, Carpenter JF, Manning MC. Effects of Tween 20 and Tween 80 on the stability of Albutropin during agitation. *Journal of Pharmaceutical Sciences*. 2005;94(6):1368-81.
9. Daneshvar N, Aber S, Vatanpour V, Rasoulifard MH. Electro-Fenton treatment of dye solution containing Orange II: Influence of operational parameters. *Journal of Electroanalytical Chemistry*. 2008;615(2):165-74.
10. Wang J, Sun W, Zhang Z, Jiang Z, Wang X, Xu R, et al. Preparation of Fe-doped mixed crystal TiO<sub>2</sub> catalyst and investigation of its sonocatalytic activity during degradation of azo fuchsine under ultrasonic irradiation. *Journal of Colloid and Interface Science*.



- 2008;320(1):202-9.
11. Zhang G, Yang F, Liu L. Comparative study of Fe<sup>2+</sup>/H<sub>2</sub>O<sub>2</sub> and Fe<sup>3+</sup>/H<sub>2</sub>O<sub>2</sub> electro-oxidation systems in the degradation of amaranth using anthraquinone/polypyrrole composite film modified graphite cathode. *Journal of Electroanalytical Chemistry*. 2009;632:154-61.
  12. Han DH, Cha SY, Yang HY. Improvement of oxidative decomposition of aqueous phenol by microwave irradiation in UV/H<sub>2</sub>O<sub>2</sub> process and kinetic study. *Water Research*. 2004;38(11):2782-90.
  13. Villa RD, Trovo AG, Pupo Nogueira RF. Soil remediation using a coupled process: Soil washing with surfactant followed by photo-Fenton oxidation. *Journal of Hazardous Materials*. 2010;174:770-5.
  14. Esplugas S, Gimenez J, Contreras S, Pascual E, Rodriguez M. Comparison of different advanced oxidation processes for phenol degradation. *Water Research*. 2002;36(4):1034-42.
  15. Stepnowski P, Siedlecka EM, Behrend P, Jastorff B. Enhanced photo-degradation of contaminants in petroleum refinery wastewater. *Water Research*. 2002;36:2167-72.
  16. Tsai TT, Sah J, Kao CM. Application of iron electrode corrosion enhanced electrokinetic-Fenton oxidation to remediate diesel contaminated soils: A laboratory feasibility study. *Journal of Hydrology*. 2010;380:4-13.
  17. Tsai TT, Kao CM. Treatment of petroleum-hydrocarbon contaminated soils using hydrogen peroxide oxidation catalyzed by waste basic oxygen furnace slag. *Journal of Hazardous Materials*. 2009;170:466-72.
  18. Villa RD, Trovo AG, Pupo Nogueira RF. Environmental implications of soil remediation using the Fenton process. *Chemosphere*. 2008;71:43-50.
  19. Tchobanoglous G, Burton FL, Stensel HD. *Wastewater Engineering: Treatment and Reuse*. 4th ed. New York: McGraw-Hill; 2003.
  20. Ghaly MY, Härtel G, Mayer R, Hasender R. Photochemical oxidation of p-chlorophenol by UV/H<sub>2</sub>O<sub>2</sub> and photo-Fenton process: A comparative study. *Waste Management*. 2001;21(1):41-7.
  21. Galvão SAO, Mota ALN, Silva DN, Moraes JEF, Nascimento CAO, Chiavone-Filho O. Application of the photo-Fenton process to the treatment of wastewaters contaminated with diesel. *Science of The Total Environment*. 2006;367:42-9.
  22. Chu W. Modeling the quantum yields of herbicide 2,4-D decay in UV/H<sub>2</sub>O<sub>2</sub> process. *Chemosphere*. 2001;44(5):935-41.
  23. Kang N, Hua I. Enhanced chemical oxidation of aromatic hydrocarbons in soil systems. *Chemosphere*. 2005;61(7):909-22.
  24. Watts RJ, Haller DR, Jones AP, Teel AL. A foundation for the risk-based treatment of gasoline-contaminated soils using modified Fenton's reactions. *Journal of Hazardous Materials*. 2000;76(1):73-89.
  25. Kavitha V, Palanivelu K. Degradation of nitrophenols by Fenton and photo-Fenton processes. *Journal of Photochemistry and Photobiology A: Chemistry*. 2005;170(1):83-95.
  26. Farrokhi M, Mesdaghinia A, Yazdanbakhsh AR, Nasserli S. Characteristic of Fenton's oxidation of 2,4,6 Trichlorophenol. *Iranian Journal of Environmental Health Science & Engineering*. 2004;1(1):12-8.

## Application of Photo-Fenton Process for COD Removal from Wastewater Produced from Surfactant-Washed Oil-Contaminated (TPH) Soils

Mohammad Reza Mehrasbi<sup>1</sup>, \*Sorur Safa<sup>1</sup>, Amir Hossein Mahvi<sup>2</sup>, Ali Assadi<sup>1</sup>, Hamed Mohammadi<sup>1</sup>

<sup>1</sup>Department of Environmental Health, Faculty of Health, Zanjan University of Medical Sciences, Zanjan, Iran

<sup>2</sup>Department of Environmental Health, Faculty of Health, Tehran University of Medical Sciences, Tehran, Iran

Received; 24 April 2012 Accepted; 22 July 2012

### ABSTRACT

**Background and Objective:** The base structure of total petroleum hydrocarbons (TPH) is made of hydrogen and carbon. Widespread use, improper disposal and accidental spills of this compounds lead to long term remaining of contaminations such as organic solvents and poly aromatic hydrocarbons (PAHs) in the soil and groundwater resources, resulting in critical environmental issues. In this study, an oil-contaminated soil was washed using Tween 80 surfactant and the application of photo-Fenton process (UV/Fe<sup>2+</sup>/H<sub>2</sub>O<sub>2</sub>) for treatment of the produced wastewater was evaluated.

**Materials and Methods:** Tween 80 is a yellow liquid with high viscosity and soluble in water. In order to determine of the photo-Fenton process efficiency, we studied effective variables including Fe concentration, pH, H<sub>2</sub>O<sub>2</sub> concentration, and irradiation time. The UV irradiation source was a medium-pressure mercury vapor lamp (400 w) vertically immersed in the solution within 2 L volume glass cylindrical reactor.

**Results:** The results showed that efficiency of COD removal depends on the initial Fe concentration, pH, H<sub>2</sub>O<sub>2</sub> concentration and irradiation time.

Under optimum conditions, (Fe: 0.1 mM, H<sub>2</sub>O<sub>2</sub>: 0.43 mM, pH: 3 and UV light irradiation time: 2 hours) the removal efficiency of COD was 67.3%. pH plays a crucial role in the photo-Fenton process such that the removal efficiency increased with decreasing of pH.

**Conclusion:** According to the results of this study, under acidic condition, this process is an efficient method for COD removal from the wastewater studied.

**Keywords:** Total Petroleum Hydrocarbon (TPH), Tween 80, Advanced oxidation, UV/Fe<sup>2+</sup>/H<sub>2</sub>O<sub>2</sub> process

---

\*Corresponding Author: Sorur.Safa@gmail.com

Tel: +98 241 7273128, Fax: +98 241 7273153